

Scientific name	English name	Category	Breeding pairs	Wintering individuals	IUCN conservation status
<i>Tetrastes bonasia</i> (<i>Bonasa bonasia</i>)	Hazel Grouse	R	3000 - 5000	6500 - 13000	LR:nt
<i>Tetrao urogallus</i>	Capercaillie	R	500 - 700	1100 - 2000	VU
<i>Lyrurus tetrix</i> (<i>Tetrao tetrix</i>)	Black Grouse	R	200 - 300	500 - 800	VU
<i>Perdix perdix</i>	Grey Partridge	R	3000 - 8000	7000 - 17000	LR:nt
<i>Coturnix coturnix</i>	Common Quail	B, P	2000 - 6000		LR:nt
<i>Phasianus colchicus</i>	Common Pheasant	R	20000 - 40000	30000 - 60000	
<i>Anser fabalis</i>	Bean Goose	P, W		* 1800 - 13700	
<i>Anser brachyrhynchus</i>	Pink-footed Goose	V			
<i>Anser anser</i>	Greylag Goose	R	15 - 80	* 1930 - 3400	EN
<i>Anser albifrons</i>	White-fronted Goose	P, W		* 550 - 19300	
<i>Anser erythropus</i>	Lesser White-fronted Goose	P, W		* 0 - 10	
<i>Branta canadensis</i>	Canada Goose	V		* 0 - 2	
<i>Branta bernicla</i>	Brent Goose	V		* 0 - 11	
<i>Branta leucopsis</i>	Barnacle Goose	V		* 0 - 4	
<i>Branta ruficollis</i>	Red-breasted Goose	V		* 0 - 2	
<i>Cygnus olor</i>	Mute Swan	R	10 - 400	* 1750 - 4200	
<i>Cygnus columbianus</i> (<i>Cygnus bewickii</i>)	Bewick's Swan	V		* 0 - 1	
<i>Cygnus cygnus</i>	Whooper Swan	P, W		* 0 - 21	
<i>Tadorna tadorna</i>	Shelduck	R		* 0 - 10	
<i>Tadorna ferruginea</i>	Ruddy Shelduck	V		* 0 - 2	
<i>Anas strepera</i>	Gadwall	R	50 - 80	* 30 - 234	LR:cd
<i>Anas penelope</i>	Wigeon	P, W		* 62 - 360	
<i>Anas platyrhynchos</i>	Mallard	R	12000 - 20000	* 56700 - 120000	
<i>Anas clypeata</i>	Northern Shoveler	VB, P	10 - 40	* 0 - 4	VU
<i>Anas acuta</i>	Pintail	B, P, W	0 - 10	* 4 - 25	EN
<i>Anas querquedula</i>	Garganey	B, P, W	100 - 200	* 0 - 1	LR:cd
<i>Anas crecca</i>	Teal	B, P, W	10 - 40	* 585 - 1000	VU
<i>Netta rufina</i>	Red-crested Pochard	R	10 - 30	* 0 - 6	NE
<i>Aythya ferina</i>	Pochard	R	500 - 1000	* 5410 - 18100	NE
<i>Aythya nyroca</i>	Ferruginous Duck	R	5 - 20	* 0 - 10	EN
<i>Aythya collaris</i>	Ring-necked Duck	V			
<i>Aythya fuligula</i>	Tufted Duck	R	250 - 500	* 13900 - 32300	NE
<i>Aythya marila</i>	Greater Scaup	P, W		* 10 - 110	
<i>Somateria mollissima</i>	Eider	V		* 0 - 3	
<i>Histrionicus histrionicus</i>	Harlequin Duck	V			
<i>Melanitta fusca</i>	Velvet Scoter	P, W		* 2 - 81	
<i>Melanitta nigra</i>	Common Scoter	V		* 0 - 5	
<i>Clangula hyemalis</i>	Long-tailed Duck	V		* 0 - 8	
<i>Bucephala clangula</i>	Common Goldeneye	P, W		* 7000 - 12800	
<i>Mergellus albellus</i> (<i>Mergus albellus</i>)	Smew	P, W		* 205 - 1900	
<i>Mergus merganser</i>	Goosander	P, W		* 293 - 1270	
<i>Mergus serrator</i>	Red-breasted Merganser	P, W		0 - 30	
<i>Oxyura leucocephala</i>	White-headed Duck	V			
<i>Gavia stellata</i>	Red-throated Loon	P, W		* 0 - 2	
<i>Gavia arctica</i>	Black-throated Loon	P, W		* 0 - 10	
<i>Gavia immer</i>	Great Northern Loon	V		0 - 2	
<i>Gavia adamsii</i>	Yellow-billed Loon	V		0 - 1	
<i>Tachybaptus ruficollis</i> (<i>Podiceps ruficollis</i>)	Little Grebe	R	1000 - 3000	* 1090 - 1700	
<i>Podiceps grisegena</i> (<i>Podiceps griseigena</i>)	Red-necked Grebe	B, P	5 - 20	* 0 - 5	VU
<i>Podiceps cristatus</i>	Great Crested Grebe	R	500 - 1000	* 105 - 520	
<i>Podiceps auritus</i>	Horned Grebe	V		* 0 - 2	
<i>Podiceps nigricollis</i>	Black-necked Grebe	B, P	100 - 250	* 0 - 15	LR:nt
<i>Ciconia nigra</i>	Black Stork	B, P	400 - 600		LR:nt
<i>Ciconia ciconia</i>	White Stork	B, P	1000 - 1350	* 0 - 2	LR:lc
<i>Plegadis falcinellus</i>	Glossy Ibis	V			
<i>Platalea leucorodia</i>	Spoonbill	B, P	0 - 35		EN
<i>Botaurus stellaris</i>	Bittern	B, P, W	50 - 100	5 - 30	VU

Scientific name	English name	Category	Breeding pairs	Wintering individuals	IUCN conservation status
<i>Ixobrychus minutus</i>	Little Bittern	B, P	200 - 400		VU
<i>Nycticorax nycticorax</i>	Night Heron	B, P	100 - 400		VU
<i>Ardeola ralloides</i>	Squacco Heron	V	0 - 5		EN
<i>Bubulcus ibis</i>	Cattle Egret	V			
<i>Ardea cinerea</i>	Grey Heron	R	300 - 700	* 1030 - 2430	LR:nt
<i>Ardea purpurea</i>	Purple Heron	B, P	20- 60		EN
<i>Ardea alba</i> (<i>Egretta alba</i> , <i>Casmerodius albus</i>)	Great Egret	R	0 - 80	* 385 - 1000	EN
<i>Egretta garzetta</i>	Little Egret	B, P	0- 30		EN
<i>Pelecanus onocrotalus</i>	White Pelican	V			
<i>Pelecanus crispus</i>	Dalmatian Pelican	V			
<i>Microcarbo pygmaeus</i> (<i>Phalacrocorax pygmaeus</i>)	Pygmy Cormorant	P, W	0 - 1	* 100 - 750	NE
<i>Phalacrocorax aristotelis</i>	Shag	V			
<i>Phalacrocorax carbo</i>	Great Cormorant	R	50 - 250	6470 - 10000	NE
<i>Pandion haliaetus</i>	Osprey	P			
<i>Pernis apivorus</i>	Honey Buzzard	B, P	900 - 1300		LR:lc
<i>Milvus milvus</i>	Red Kite	R	* max. 15	* 0 - 4	EN
<i>Milvus migrans</i>	Black Kite	B, P	* max. 50		VU
<i>Haliaeetus albicilla</i>	White-tailed Eagle	R	* 2 - 8	* 40 - 100	CR
<i>Neophron percnopterus</i>	Egyptian Vulture	V			
<i>Gyps fulvus</i>	Griffon Vulture	V			
<i>Circus gallicus</i>	Short-toed Eagle	B, P	20 - 25		EN
<i>Circus aeruginosus</i>	Marsh Harrier	B, P	* 500 - 600	* 0 - 4	LR:lc
<i>Circus cyaneus</i>	Hen Harrier	P, W		3000 - 5000	
<i>Circus macrourus</i>	Pallid Harrier	V			
<i>Circus pygargus</i>	Montagu's Harrier	B, P	* 25 - 50		VU
<i>Accipiter nisus</i>	Sparrowhawk	R	1500 - 2000	4000 - 8000	LR:lc
<i>Accipiter gentilis</i>	Northern Goshawk	R	* 1200 - 1600	3000 - 5000	LR:lc
<i>Buteo buteo</i>	Common Buzzard	R	* 7000 - 10000	13000 - 25000	LR:lc
<i>Buteo rufinus</i>	Long-legged Buzzard	V			
<i>Buteo lagopus</i>	Rough-legged Buzzard	W		800 - 2500	
<i>Aquila pomarina</i>	Lesser Spotted Eagle	B, P	800 - 900		LR:nt
<i>Aquila clanga</i>	Greater Spotted Eagle	V			
<i>Aquila nipalensis</i>	Steppe Eagle	V			
<i>Aquila heliaca</i>	Eastern Imperial Eagle	R	35 - 40	20 - 50	EN
<i>Aquila chrysaetos</i>	Golden Eagle	R	* 70 - 90	200 - 250	VU
<i>Hieraaetus pennatus</i>	Booted Eagle	V	* 0		CR
<i>Falco naumanni</i>	Lesser Kestrel	V			EX
<i>Falco tinnunculus</i>	Common Kestrel	R	4000 - 6000	2500 - 5500	LR:lc
<i>Falco vespertinus</i>	Red-footed Falcon	B, P	* 10 - 40		EN
<i>Falco columbarius</i>	Merlin	P, W		100 - 350	
<i>Falco subbuteo</i>	Hobby	B, P	600 - 800		LR:nt
<i>Falco cherrug</i>	Saker Falcon	R	* 30 - 40	10 - 25	CR
<i>Falco peregrinus</i>	Peregrine Falcon	R	* aprox. 150	5 - 10	EN
<i>Otis tarda</i>	Great Bustard	R	* 0 - 10	* 20-250	CR
<i>Tetrax tetrax</i>	Little Bustard	V			EX
<i>Rallus aquaticus</i>	Water Rail	B, P, W	300 - 600	* 2 - 50	NE
<i>Crex crex</i>	Corncrake	B, P	1400 - 1700		LR:cd
<i>Porzana parva</i>	Little Crake	B, P	70 - 150		LR:lc
<i>Porzana pusilla</i>	Baillon's Crake	P			
<i>Porzana porzana</i>	Spotted Crake	B, P	60 - 200		LR:lc
<i>Gallinula chloropus</i>	Moorhen	R	1000 - 2500	45 - 170	
<i>Fulica atra</i>	Coot	R	4000 - 8000	* 5070 - 11500	
<i>Grus virgo</i> (<i>Anthropoides virgo</i>)	Demoiselle Crane	V			
<i>Grus grus</i>	Common Crane	B, P	* 0 - 1		
<i>Burhinus oedicephalus</i>	Stone-curlew	B	0 - 5		EN
<i>Haematopus ostralegus</i>	Oystercatcher	V			
<i>Himantopus himantopus</i>	Black-winged Stilt	B, P	0 - 5		EN
<i>Recurvirostra avosetta</i>	Avocet	B, P	0 - 20		EN:B1
<i>Vanellus vanellus</i>	Lapwing	R	2500 - 5000	* 0 - 10	LR:lc
<i>Vanellus gregarius</i> (<i>Chettusia gregaria</i>)	Sociable Plover	V			

Scientific name	English name	Category	Breeding pairs	Wintering individuals	IUCN conservation status
<i>Pluvialis apricaria</i>	Golden Plover	P			
<i>Pluvialis squatarola</i>	Grey Plover	P			
<i>Charadrius hiaticula</i>	Common Ringed Plover	P			
<i>Charadrius dubius</i>	Little Ringed Plover	B, P	2000 - 3000		LR:lc
<i>Charadrius alexandrinus</i>	Kentish Plover	V	0 - 1		DD
<i>Charadrius morinellus</i>	Dotterel	V			
<i>Scolopax rusticola</i>	Woodcock	B, P	1300 - 2500	0 - 10	LR:nt
<i>Lymnocyptes minimus</i>	Jack Snipe	P, W		* 5 - 30	
<i>Gallinago media</i>	Great Snipe	P			
<i>Gallinago gallinago</i>	Common Snipe	B, P, W	100 - 250	* 0 - 50	VU
<i>Limosa limosa</i>	Black-tailed Godwit	B, P	5 - 40		EN
<i>Limosa lapponica</i>	Bar-tailed Godwit	P			
<i>Numenius phaeopus</i>	Whimbrel	P			
<i>Numenius arquata</i>	Curlew	B, P, W	5 - 30	0 - 15	CR
<i>Tringa erythropus</i>	Spotted Redshank	P			
<i>Tringa totanus</i>	Common Redshank	B, P	35 - 70		VU
<i>Tringa stagnatilis</i>	Marsh Sandpiper	P			
<i>Tringa nebularia</i>	Common Greenshank	P			
<i>Tringa ochropus</i>	Green Sandpiper	P, W		* 10 - 70	
<i>Tringa glareola</i>	Wood Sandpiper	P			
<i>Xenus cinereus (Tringa cinerea)</i>	Terek Sandpiper	V			
<i>Actitis hypoleucos (Tringa hypoleucos)</i>	Common Sandpiper	B, P	700 - 1300	* 0 - 5	LR:lc
<i>Arenaria interpres</i>	Turnstone	P			
<i>Calidris canutus</i>	Red Knot	V			
<i>Calidris alba</i>	Sanderling	P			
<i>Calidris minuta</i>	Little Stint	P			
<i>Calidris temminckii</i>	Temminck's Stint	P			
<i>Calidris melanotos</i>	Pectoral Sandpiper	V			
<i>Calidris ferruginea</i>	Curlew Sandpiper	P			
<i>Calidris maritima</i>	Purple Sandpiper	V			
<i>Calidris alpina</i>	Dunlin	P			
<i>Limicola falcinellus</i>	Broad-billed Sandpiper	V			
<i>Philomachus pugnax</i>	Ruff	P			
<i>Phalaropus lobatus</i>	Red-necked Phalarope	V			
<i>Phalaropus fulicarius</i>	Red Phalarope	V			
<i>Glareola pratincola</i>	Collared Pratincole	V			
<i>Glareola nordmanni</i>	Black-winged Pratincole	V			
<i>Rissa tridactyla</i>	Kittiwake	V		0 - 5	
<i>Xema sabini (Larus sabini)</i>	Sabine's Gull	V			
<i>Chroicocephalus ridibundus (Larus ridibundus)</i>	Black-headed Gull	R	9000 - 17000	* 2000 - 7300	
<i>Hydrocoloeus minutus (Larus minutus)</i>	Little Gull	P		0 - 10	
<i>Ichthyaeetus melanocephalus (Larus melanocephalus)</i>	Mediterranean Gull	B, P	0 - 70	* 0 - 5	LR:cd
<i>Larus canus</i>	Common Gull	B, P, W	0 - 3	* 825 - 10000	NE
<i>Larus delawarensis</i>	Ring-billed Gull	V			
<i>Larus marinus</i>	Great Black-backed Gull	V		0 - 2	
<i>Larus hyperboreus</i>	Glaucous Gull	V			
<i>Larus argentatus</i>	Herring Gull	V			
<i>Larus cachinnans</i>	Caspian Gull	R	0 - 15	500 - 10000	NE
<i>Larus michahellis</i>	Yellow-legged Gull	R			
<i>Larus fuscus</i>	Lesser Black-backed Gull	P, W		0 - 5	
<i>Gelochelidon nilotica</i>	Gull-billed Tern	V			
<i>Hydroprogne caspia (Sterna caspia)</i>	Caspian Tern	P			
<i>Thalasseus sandvicensis (Sterna sandvicensis)</i>	Sandwich Tern	V			
<i>Sterna albifrons</i>	Little Tern	P	0 - 5		NE
<i>Sterna hirundo</i>	Common Tern	B, P	150 - 250		LR:cd
<i>Sterna paradisaea</i>	Arctic Tern	V			

Scientific name	English name	Category	Breeding pairs	Wintering individuals	IUCN conservation status
<i>Chlidonias hybrida</i>	Whiskered Tern	B, P	50 - 200		EN
<i>Chlidonias leucopterus</i>	White-winged Tern	P	0 - 40		NE
<i>Chlidonias niger</i>	Black Tern	B, P	40 - 150		VU
<i>Stercorarius pomarinus</i>	Pomarine Skua	V			
<i>Stercorarius parasiticus</i>	Parasitic Skua	V			
<i>Stercorarius longicaudus</i>	Long-tailed Skua	V			
<i>Columba livia</i>	Common Pigeon	R			
<i>Columba oenas</i>	Stock Dove	B, P	3500 - 5000	0 - 200	LR:lc
<i>Columba palumbus</i>	Wood Pigeon	B, P	60000 - 120000	0 - 20	
<i>Streptopelia turtur</i>	Turtle Dove	B, P	15000 - 30000		
<i>Streptopelia decaocto</i>	Collared Dove	R	40000 - 80000	100000 - 200000	
<i>Clamator glandarius</i>	Great Spotted Cuckoo	V			
<i>Cuculus canorus</i>	Common Cuckoo	B, P	7000 - 14000		
<i>Tyto alba</i>	Barn Owl	R	400 - 600	500 - 1000	VU
<i>Otus scops</i>	Scops Owl	B	40 - 80		EN
<i>Bubo scandiacus</i> (<i>Nyctea Scandiacia</i>)	Snowy Owl	V		0 - 5	
<i>Bubo bubo</i>	Eagle Owl	R	300 - 400	700 - 1000	NE
<i>Strix aluco</i>	Tawny Owl	R	2500 - 3000	6000 - 9000	
<i>Strix uralensis</i>	Ural Owl	R	700 - 1000	1800 - 2700	LR:lc
<i>Surnia ulula</i>	Hawk Owl	V		0 - 2	
<i>Glaucidium passerinum</i>	Pygmy Owl	R	1000 - 1500	2500 - 4000	NE
<i>Athene noctua</i>	Little Owl	R	800 - 1000	2000 - 3000	LR:nt
<i>Aegolius funereus</i>	Tengmalm's Owl	R	400 - 600	800 - 1500	NE
<i>Asio otus</i>	Long-eared Owl	R	2500 - 4000	7000 - 10000	
<i>Asio flammeus</i>	Short-eared Owl	R	0 - 50	100 - 1000	VU
<i>Caprimulgus europaeus</i>	Nightjar	B, P	1000 - 2000		NE
<i>Apus apus</i>	Common Swift	B	30000 - 60000		
<i>Coracias garrulus</i>	Roller	B	10 - 40		EN
<i>Alcedo atthis</i>	Common Kingfisher	R	700 - 1300	* 120 - 900	LR:nt
<i>Merops apiaster</i>	Bee-eater	B, P	700 - 1300		LR:nt
<i>Upupa epops</i>	Hoopoe	B, P	600 - 1000		VU
<i>Jynx torquilla</i>	Wryneck	B, P	2500 - 4000		
<i>Dendrocopos minor</i> (<i>Picoides minor</i>)	Lesser Spotted Woodpecker	R	2000 - 4000	4000 - 9000	
<i>Dendrocopos medius</i> (<i>Picoides medius</i>)	Middle Spotted Woodpecker	R	2500 - 4000	6000 - 10000	
<i>Dendrocopos leucotos</i> (<i>Picoides leucotos</i>)	White-backed Woodpecker	R	1500 - 2500	3000 - 6000	LR:nt
<i>Dendrocopos syriacus</i> (<i>Picoides syriacus</i>)	Syrian Woodpecker	R	1500 - 2500	2500 - 5000	
<i>Dendrocopos major</i> (<i>Picoides major</i>)	Great Spotted Woodpecker	R	30000 - 60000	70000 - 150000	
<i>Picoides tridactylus</i>	Three-toed Woodpecker	R	800 - 1200	2000 - 3500	
<i>Dryocopus martius</i>	Black Woodpecker	R	1500 - 2500	4500 - 6500	
<i>Picus viridis</i>	Green Woodpecker	R	1200 - 2000	2500 - 5000	
<i>Picus canus</i>	Grey-headed Woodpecker	R	1500 - 2000	3500 - 6000	
<i>Lanius collurio</i>	Red-backed Shrike	B, P	65000 - 130000		
<i>Lanius minor</i>	Lesser Grey Shrike	B, P	600 - 800		VU
<i>Lanius excubitor</i>	Great Grey Shrike	R	500 - 1000	4000 - 8000	LR:nt
<i>Lanius senator</i>	Woodchat Shrike	B	0 - 25		CR
<i>Oriolus oriolus</i>	Golden Oriole	B, P	7000 - 15000		
<i>Perisoreus infaustus</i>	Siberian Jay	V			
<i>Garrulus glandarius</i>	Jay	R	15000 - 30000	32000 - 65000	
<i>Pica pica</i>	Common Magpie	R	30000 - 60000	70000 - 140000	
<i>Nucifraga caryocatactes</i>	Nutcracker	R	4000 - 8000	10000 - 20000	
<i>Pyrrhocorax graculus</i>	Alpine Chough	V			
<i>Coloelus monedula</i> (<i>Corvus monedula</i>)	Jackdaw	R	3000 - 5000	6000 - 12000	LR:nt
<i>Corvus frugilegus</i>	Rook	R	10000 - 17000	300000 - 1000000	
<i>Corvus corone</i>	Carrion Crow	R			
<i>Corvus cornix</i>	Hooded Crow	R	8000 - 15000	20000 - 40000	
<i>Corvus corax</i>	Raven	R	2000 - 4000	4000 - 8000	

Scientific name	English name	Category	Breeding pairs	Wintering individuals	IUCN conservation status
<i>Bombycilla garrulus</i>	Waxwing	W		10000 - 100000	
<i>Poecile palustris</i> (<i>Parus palustris</i>)	Marsh Tit	R	80000 - 160000	200000 - 500000	
<i>Poecile montanus</i> (<i>Parus montanus</i>)	Willow Tit	R	60000 - 150000	200000 - 500000	
<i>Periparus ater</i> (<i>Parus ater</i>)	Coal Tit	R	250000 - 500000	800000 - 1500000	
<i>Lophophanes cristatus</i> (<i>Parus cristatus</i>)	Crested Tit	R	25000 - 50000	80000 - 150000	
<i>Parus major</i>	Great Tit	R	1500000 - 3000000	4000000 - 8000000	
<i>Cyanistes caeruleus</i> (<i>Parus caeruleus</i>)	Blue Tit	R	70000 - 1400000	1500000 - 3000000	
<i>Remiz pendulinus</i>	Penduline Tit	B, P	5000 - 10000	0 - 40	
<i>Panurus biarmicus</i>	Bearded Reeding	R	150 - 400	500 - 1500	LR:nt
<i>Calandrella brachydactyla</i>	Short-toed Lark	B	0 - 10		DD
<i>Galerida cristata</i>	Crested Lark	R	3000 - 6000	6000 - 12000	LR:nt
<i>Lullula arborea</i>	Woodlark	B, P	1500 - 3000	0 - 100	
<i>Alauda arvensis</i>	Common Skylark	B, P, W	200000 - 400000	50 - 500	
<i>Eremophila alpestris</i>	Horned Lark	V		0 - 300	
<i>Riparia riparia</i>	Sand Martin	B, P	10000 - 20000		
<i>Hirundo rustica</i>	Barn Swallow	B, P	200000 - 400000		
<i>Delichon urbicum</i> (<i>Delichon urbica</i>)	House Martin	B, P	500000 - 1000000		
<i>Cecropis daurica</i>	Red-rumped Swallow	V			
<i>Aegithalos caudatus</i>	Long-tailed Tit	R	60000 - 120000	200000 - 400000	
<i>Phylloscopus trochilus</i>	Willow Warbler	B, P	400000 - 600000		
<i>Phylloscopus collybita</i>	Chiffchaff	B, P	600000 - 1000000	0 - 50	
<i>Phylloscopus sibilatrix</i>	Wood Warbler	B, P	100000 - 200000		
<i>Phylloscopus proregulus</i>	Pallas's Warbler	V			
<i>Phylloscopus inornatus</i>	Yellow-browed Warbler	V			
<i>Phylloscopus trochiloides</i>	Greenish Warbler	B	10 - 100		DD
<i>Acrocephalus arundinaceus</i>	Great Reed Warbler	B, P	1000		LR:nt
<i>Acrocephalus melanopogon</i>	Moustached Warbler	B, P	10 - 20		EN
<i>Acrocephalus paludicola</i>	Aquatic Warbler	B			DD
<i>Acrocephalus schoenobaenus</i>	Sedge Warbler	B, P	10000 - 16000		
<i>Acrocephalus dumetorum</i>	Blyth's Reed Warbler	V			
<i>Acrocephalus scirpaceus</i>	Reed Warbler	B, P	10000 - 20000		
<i>Acrocephalus palustris</i>	Marsh Warbler	B, P	40000 - 50000		
<i>Iduna pallida</i> (<i>Hippolais pallida</i>)	Olivaceous Warbler	V			
<i>Hippolais icterina</i>	Icterine Warbler	B, P	10000 - 20000		
<i>Locustella naevia</i>	Grasshopper Warbler	B, P	300 - 500		
<i>Locustella fluviatilis</i>	River Warbler	B, P	10000 - 15000		
<i>Locustella luscinioides</i>	Savi's Warbler	B, P	1000 - 2000		LR:lc
<i>Sylvia atricapilla</i>	Blackcap	B, P	800000 - 1000000		
<i>Sylvia borin</i>	Garden Warbler	B, P	200000 - 400000		
<i>Sylvia nisoria</i>	Barred Warbler	B, P	3000 - 6000		
<i>Sylvia curruca</i>	Lesser Whitethroat	B, P	40000 - 120000		
<i>Sylvia communis</i>	Common Whitethroat	B, P	60000 - 120000		
<i>Regulus ignicapillus</i>	Firecrest	B, P, W	30000 - 60000	10 - 100	
<i>Regulus regulus</i>	Goldcrest	R	200000 - 400000	600000 - 1000000	
<i>Troglodytes troglodytes</i>	Wren	R	100000 - 200000	200000 - 400000	
<i>Sitta europaea</i>	Nuthatch	R	700000 - 1000000	1500000 - 3000000	
<i>Tichodroma muraria</i>	Wallcreeper	R	30 - 50	50 - 150	LR:nt
<i>Certhia familiaris</i>	Treecreeper	R	100000 - 150000	300000 - 600000	
<i>Certhia brachydactyla</i>	Short-toed Treecreeper	R	1000 - 3000	2500 - 8000	
<i>Pastor roseus</i> (<i>Sturnus roseus</i>)	Rose-coloured Starling	P			
<i>Sturnus vulgaris</i>	Common Starling	R	400000 - 800000	100 - 5000	
<i>Turdus torquatus</i>	Ring Ouzel	B, P	3000 - 5000	0 - 25	LR:lc
<i>Turdus merula</i>	Blackbird	R	400000 - 800000	80000 - 160000	
<i>Turdus pilaris</i>	Fieldfare	R	10000 - 20000	60000 - 500000	
<i>Turdus iliacus</i>	Redwing	B, P, W	0 - 5	0 - 150	
<i>Turdus philomelos</i>	Song Thrush	R	30000 - 60000	0 - 100	
<i>Turdus viscivorus</i>	Mistle Thrush	R	40000 - 80000	5000 - 16000	

Scientific name	English name	Category	Breeding pairs	Wintering individuals	IUCN conservation status
<i>Erithacus rubecula</i>	Robin	R	500000 - 1000000	1000 - 10000	
<i>Luscinia svecica</i>	Bluethroat	B	15 - 30		VU
<i>Luscinia luscinia</i>	Thrush Nightingale	B, P	1000 - 1500		LR:lc
<i>Luscinia megarhynchos</i>	Common Nightingale	B, P	10000 - 20000		
<i>Phoenicurus ochruros</i>	Black Redstart	R	100000 - 200000	20 - 100	
<i>Phoenicurus phoenicurus</i>	Common Redstart	B, P	10000 - 15000		LR:nt
<i>Saxicola rubetra</i>	Whinchat	B, P	10000 - 20000		LR:lc
<i>Saxicola rubicola</i> (<i>Saxicola torquata</i>)	European Stonechat	B, P	20000 - 40000	0 - 30	
<i>Oenanthe oenanthe</i>	Northern Wheatear	B, P	6000 - 9000		
<i>Oenanthe hispanica</i>	Black-eared Wheatear	V			
<i>Oenanthe deserti</i>	Desert Wheatear	V			
<i>Monticola saxatilis</i>	Rock Thrush	B	* 0		CR
<i>Monticola solitarius</i>	Blue Rock Thrush	V			
<i>Muscicapa striata</i>	Spotted Flycatcher	B, P	65000 - 150000		
<i>Ficedula hypoleuca</i>	Pied Flycatcher	B, P	100 - 200		
<i>Ficedula albicollis</i>	Collared Flycatcher	B, P	7000 - 15000		
<i>Ficedula parva</i>	Red-breasted Flycatcher	B, P	5000 - 10000		
<i>Cinclus cinclus</i>	Dipper	R	2000 - 3000	* 950 - 2900	LR:lc
<i>Passer domesticus</i>	House Sparrow	R	1200000 - 1800000	3000000 - 6000000	
<i>Passer montanus</i>	Tree Sparrow	R	300000 - 600000	800000 - 1500000	
<i>Montifringilla nivalis</i>	Snowfinch	V			
<i>Prunella collaris</i>	Alpine Accentor	R	300 - 400	50 - 100	LR:nt
<i>Prunella montanella</i>	Siberian Accentor	V			
<i>Prunella atrogularis</i>	Black-throated Accentor	V			
<i>Prunella modularis</i>	Dunnock	R	300000 - 500000	5000 - 10000	
<i>Motacilla flava</i>	Yellow Wagtail	B, P	2500 - 4000		LR:lc
<i>Motacilla citreola</i>	Citrine Wagtail	B, P	0 - 2		NE
<i>Motacilla cinerea</i>	Grey Wagtail	R	10000 - 20000	20 - 100	
<i>Motacilla alba</i>	White/Pied Wagtail	R	50000 - 100000	7 - 50	
<i>Anthus campestris</i>	Tawny Pipit	B, P	70 - 150		EN
<i>Anthus pratensis</i>	Meadow Pipit	B, P, W	250 - 500	* 9 - 250	
<i>Anthus trivialis</i>	Tree Pipit	B, P	200000 - 400000		
<i>Anthus cervinus</i>	Red-throated Pipit	P			
<i>Anthus spinoletta</i>	Water Pipit	B, P, W	700 - 1100	20 - 200	
<i>Fringilla coelebs</i>	Chaffinch	R	3000000 - 5000000	10000 - 50000	
<i>Fringilla montifringilla</i>	Brambling	P, W		300000 - 2000000	
<i>Serinus serinus</i>	Serin	B, P, W	50000 - 100000	10 - 100	
<i>Carduelis chloris</i> (<i>Chloris chloris</i>)	Greenfinch	R	100000 - 130000	100000 - 300000	
<i>Carduelis spinus</i>	Siskin	R	20000 - 40000	100000 - 300000	
<i>Carduelis carduelis</i>	Goldfinch	R	100000 - 150000	20000 - 60000	
<i>Carduelis flammea</i>	Redpoll	R	300 - 600	1000 - 5000	NE
<i>Carduelis hornemanni</i>	Arctic Redpoll	V		0 - 50	
<i>Carduelis flavirostris</i>	Twite	P, W		10 - 1000	
<i>Carduelis cannabina</i>	Linnet	R	40000 - 60000	1000 - 10000	
<i>Carpodacus erythrinus</i>	Common Rosefinch	B	500 - 1000		NE
<i>Pinicola enucleator</i>	Pine Grosbeak	V		0 - 15	
<i>Loxia curvirostra</i>	Common Crossbill	R	25000 - 50000	25000 - 70000	
<i>Loxia leucoptera</i>	Two-barred Crossbill	V		0 - 5	
<i>Pyrrhula pyrrhula</i>	Bullfinch	R	70000 - 120000	200000 - 400000	
<i>Coccothraustes coccothraustes</i>	Hawfinch	R	110000 - 220000	200000 - 500000	
<i>Emberiza calandra</i> (<i>Miliaria calandra</i>)	Corn Bunting	R	4000 - 8000	50 - 300	NE
<i>Emberiza citrinella</i>	Yellowhammer	R	8000000 - 1500000	800000 - 1500000	
<i>Emberiza cia</i>	Rock Bunting	R	150 - 250	50 - 500	LR:nt
<i>Emberiza hortulana</i>	Ortolan Bunting	P	0 - 5		EN
<i>Emberiza melanocephala</i>	Black-headed Bunting	V			
<i>Emberiza schoeniclus</i>	Reed Bunting	R	20000 - 40000	500 - 3000	
<i>Calcarius lapponicus</i>	Lapland Longspur	V		0 - 50	
<i>Plectrophenax nivalis</i>	Snow Bunting	P, W		100 - 30000	

Scientific name	English name	Category
Escapes		
<i>Meleagris gallopavo</i>	Wild Turkey	
<i>Alectoris graeca</i>	Rock Partridge	
<i>Alectoris chukar</i>	Chukar Partridge	
<i>Alectoris rufa</i>	Red-legged Partridge	
<i>Symaticus reevesii</i>	Reeves's Pheasant	
<i>Anser indicus</i>	Bar-headed Goose	
<i>Chen caerulescens</i>	Snow Goose	
<i>Cygnus atratus</i>	Black Swan	
<i>Alopochen aegyptiaca</i>	Egyptian Goose	
<i>Aix sponsa</i>	Wood Duck	
<i>Aix galericulata</i>	Mandarin Duck	
<i>Bucephala albeola</i>	Bufflehead	
<i>Lophodytes cucullatus</i> (<i>Mergus cucullatus</i>)	Hooded Merganser	
<i>Phoenicopterus ruber</i>	American Flamingo	
<i>Threskiornis aethiopicus</i>	African Sacred Ibis	
<i>Falco biarmicus</i>	Lanner Falcon	
<i>Pyrhocorax pyrrhocorax</i>	Red-billed Chough	
Not recorded since 1949		
<i>Aegyptius monachus</i>	Black Vulture	✓
<i>Syrhaptes paradoxus</i>	Pallas's Sandgrouse	✓
Not recorded since 1980		
<i>Chlamydotis macqueenii</i> (<i>Chlamydotis undulata</i>)	MacQueen's Bustard	✓
<i>Numenius tenuirostris</i>	Slender-billed Curlew	✓
<i>Tachymarpis melba</i> (<i>Apus melba</i>)	Alpine Swift	✓
<i>Cyanistes cyaneus</i>	Azure Tit	✓
<i>Phylloscopus bonelli</i>	Bonelli's Warbler	✓

Legend

P - Passage visitor

B - Breeding

W - Winter visitor

V - Vagrant

R - Resident breeder

Bold - Common breeder

Red - Rare

* - New data

IUCN conservation status

EX - Extinct

CR - Critically endangered

EN - Endangered

VU - Vulnerable

LR - Lower risk

cd - conservation dependent

nt - near threatened

lc - least concern

DD - Data deficient

NE - Not evaluated

References:

Breeding pairs, Wintering individuals by: DANKO, Š., DAROLOVÁ A., KRIŠTÍN A., (EDS.) 2002: *Rozšírenie vtákov na Slovensku*. VEDA, Vydavateľstvo SAV, Bratislava, 688 pp.

Checklist of birds is modified according to: KOVALIK P., TOPERCER J., KARASKA D., DANKO Š., ŠRANK V., 2010: *A checklist of birds of Slovakia to April 7, 2010*. Tichodroma 22: 97 - 108.

IUCN conservation status from: KRIŠTÍN A., KOCIAN Ľ., RÁC P., 2001: *Red (ecosozological) list of birds (Aves) of Slovakia* - In: BALÁŽ D., MARHOLD K., URBAN P., (eds.) *Červený zoznam rastlín a živočíchov Slovenska*, Ochr. Prír. 20 (Suppl.): 150 - 153.

System of bird species and scientific names from: GILL, F., WRIGHT, M., 2006. *Birds of the World: Recommended English Names*. Princeton NJ: Princeton University Press <http://www.worldbirdnames.org/IOC%20Names%20File-2.9.xls>